



Enter and Manage Ancillary Orders— AHLTA-T Clinic

AFCENT Medical Operations Support Team
October 2019

UNCLASSIFIED // FOUO

01 Enter and Manage Ancillary Orders


AHLTA-Theater A/P Module

Lab/Rad/RX Functions AHLTA-Theater

- **Ancillary order entry (A/P Module)**
 - Lab, Rad and Med orders are placed via the Order tab(s) in the A/P Module
 - Patient specific order management, review and result may be performed via the A/P Module
 - All patient orders should be associated with an encounter diagnosis
- **Order Management (Order Management Module)**
 - Lab/Rad staff receive, filter, track and enter results for orders via the Order Management Module
 - Pharmacy staff receive, filter, track and dispense medications via the Order Management Module
- **Lab/Rad results documented in patient encounter note (Lab/Rad Results Module)**
 - Results MUST be documented into an **open** patient encounter in order to be accessible in the patient's permanent electronic record
 - Results can be easily copied to the patient's current encounter note from the Lab/Rad Results Module
 - Results that are received after the associated encounter has been closed may be entered into a new encounter for documentation purposes
- **Ancillary Orders Administration (Order Admin Module)**
 - This functionality allows the Lab/Rad/Pharmacy staff to add, edit or remove the orders available in AHLTA-Theater based on facility capability

Enter Orders– AHLTA-Theater

- Providers must enter orders for lab, radiology and medications via the A/P module in AHLTA-Theater
- Providers have the ability to view the status, update, result, dispense or discontinue a patient's order via the A/P module in AHLTA-T
- Laboratory tests, radiology studies and medications available to the providers for ordering is managed via the **Order Admin module**



Enter Laboratory Order AHLTA-Theater

- Click the **Order Lab** tab in the A/P module
- Enter the search criteria in the 'New Lab Order' field
 - If unsure of how a lab test is spelled or what lab may be available, type the partial name to prompt a pick list
 - Select a Lab Section as necessary or leave defaulted
- Click **Search**
- Click the lab test name from the list to select the lab to be ordered

* Note: Patient Allergies are viewable in the A/P module

The screenshot shows the AHLTA 'New Lab Order' interface. At the top, the 'Order Lab' tab is highlighted with a red callout '1'. Below the navigation tabs, the 'Allergies' field shows 'No Known Allergies'. The 'New Lab Order' section includes a search input field with 'CBC' entered, a 'Search' button (callout '2'), and a 'Lab Section' dropdown menu set to '[ALL SECTIONS]'. A 'Lab Test Name' dropdown menu is open, showing a list of options: 'CBC W/AUTO DIFF' (callout '4'), 'CBC W/O DIFF', and 'LYMPH MARKER CBC'. A 'Comments: [Optional]' field is also present. To the right, there is a 'Notes to Provider' section with a text area and buttons for 'Show Collection Choices' and 'Show Required Comments'. At the bottom of the form, there are buttons for 'More Detail ...', 'Clear', and 'Submit'. Below the form is a 'Lab Orders' table with columns for 'Description', 'Status', and 'Order ID'. At the very bottom, a status bar indicates 'PreVerify LAB Completed'.

Enter Laboratory Order AHLTA-Theater (cont...)

- Select the appropriate 'Processing Priority' radio button
- Enter Comments in the free text field as necessary (Optional field)

* Note that the Lab staff may provide instructions or information to providers in the 'Notes to Provider' field. Use Order Admin to populate this field.

- Click **More/Less Detail...** to view or hide additional fields
- Complete the additional fields as necessary
- Verify information is correct, then click **Submit**

Diagnosis | Order Sets | Procedure | **Order Lab** | Order Rad | Order Med | Patient Instructions

Allergies: **No Known Allergies**

Outpatient Inpatient

New Lab Order Search

Lab Section: [ALL SECTIONS]

Lab Test Name: [CBC W/AUTO DIFF] Show Items in Panel

Processing Priority
 Routine ASAP STAT Notify Preop

Comments: (Optional)

Schedule
 One-Time Continuous Duration: (Days)

Timing: [NOW] Start Date: [12-Jul-2019] Frequency: []

Ordering Provider: [DOCTOR, DOCTOR]

Notes to Provider:

Specimen: Show Collection Choices Show Required Comments

Less Detail ... Submit

Collection Priority: [Routine] Collection Method: [Send Patient to Lab]

Requesting Location: [AHLTA-T Clinic]

Lab Orders

Description	Status	Order ID
-------------	--------	----------

New Discontinue Renew Renew + Modify Modify Enter Results Show Detail Sign Refresh List Do Not Show Orders

Enter Radiology Order AHLTA-Theater

- Click the **Order Rad** tab in the A/P module
- Enter the search criteria in the 'New Rad Order' field
 - If unsure of how a rad procedure is spelled or what procedures may be available, type the partial name to prompt a pick list
 - Select a Rad Section as necessary or leave defaulted

- Click **Search**
- Click the rad procedure name from the list to select the procedure to be ordered

* Note: Patient Allergies are viewable in the A/P module

The screenshot shows the 'New Rad Order' form in the AHLTA system. At the top, there are tabs for 'Diagnosis', 'Order Sets', 'Procedure', 'Order Lab', 'Order Rad' (highlighted with a red callout '1'), and 'Patient Instructions'. Below the tabs, there is an 'Allergies' field with the text 'No Allergies Specified'. The main form area is titled 'New Rad Order' and includes radio buttons for 'Outpatient' (selected) and 'Inpatient'. A 'Notes to Provider' field is on the right. The 'Rad Section' dropdown is set to '[ALL SECTIONS]' (callout '2'). The 'Procedure Name' field contains 'HIP' (callout '2') and a 'Search' button (callout '3') is to its right. Below the search field, a list of procedure names is displayed, including 'CT, DRAINAGE, PELVIC OR HIP JOINT (GROUP)', 'ECHOGRAPHY INFANT HIPS LIMITED (NO MANIPULATION)', 'ECHOGRAPHY INFANT HIPS WITH MANIPULATION', 'FEMUR & HIP LT - GROUP', 'FEMUR & HIP RT - GROUP', 'HIP LT', 'HIP LT (ORTHO STANDARD)', and 'HIP RT (ORTHO STANDARD)'. The 'HIP LT' option is highlighted with a red callout '4'. To the right of the list is an 'Immediate Reading' checkbox and a 'Submit' button. At the bottom of the form, there is a table with columns for 'Description', 'Status', and 'Order ID'. Below the table are several action buttons: 'New', 'Discontinue', 'Renew', 'Renew + Modify', 'Modify', 'Enter Results', 'Show Detail', 'Sign', 'Refresh List', and 'Do Not Show Orders'.

Enter Radiology Order AHLTA-Theater (cont...)

- Enter the Clinical Impression for the selected procedure (character limit for this field is **80 characters**)
- * Note that the Rad staff may provide instructions or information to providers in the 'Notes to Provider' field. Use Order Admin to populate this field.
- Clinicians may select 'Immediate Reading'
- Select the appropriate 'Processing Priority' radio button
- Click **More/Less Detail...** to view or hide additional fields
- Complete the additional fields as necessary
- Enter Comments in the free text field as necessary (Optional field)
- Verify information is correct, then click **Submit**

The screenshot shows the 'Order Rad' tab in the AHLTA system. The interface includes a breadcrumb trail at the top: Diagnosis > Order Sets > Procedure > Order Lab > **Order Rad** > Order Med > Patient Instructions. Below this, it shows 'Allergies: No Allergies Specified'.

The main form is titled 'New Rad Order' and has two radio buttons for 'Outpatient' (selected) and 'Inpatient'. A search box is present. The 'Rad Section' is set to '[ALL SECTIONS]'. The 'Procedure Name' is 'FEMUR & HIP LT - GROUP'. The 'Clinical Impression' field is highlighted with a red callout '5'. The 'Priority' section has radio buttons for 'Routine' (selected), 'ASAP', 'STAT', 'Notify', and 'Preop', with a red callout '6' pointing to the 'Routine' button. The 'Schedule' section has radio buttons for 'One-Time' (selected) and 'Continuous', with a 'Duration' field set to '(Days)'. The 'Timing' is 'NOW', 'Start Date' is '22-Oct-2019', and 'Frequency' is empty. The 'Ordering Provider' is 'ANDERSON, ELIZABETH'.

On the right side, there is a 'Notes to Provider' field with a red star icon. Below it is a checkbox for 'Immediate Reading' (highlighted with a red callout '1') and a 'Comments: [Optional]' text area (highlighted with a red callout '8'). A 'Less Detail ...' button (highlighted with a red callout '7') and a 'Submit' button (highlighted with a red callout '9') are located below the comments field.

At the bottom, there is a 'Rad Orders' table with columns for 'Description', 'Status', and 'Order ID'. Below the table are several action buttons: 'New', 'Discontinue', 'Renew', 'Renew + Modify', 'Modify', 'Enter Results', 'Show Detail', 'Sign', 'Refresh List', and 'Do Not Show Orders'.

Enter Medication Order AHLTA-Theater

- Click the **Order Med** tab in the A/P module
- Enter the search criteria in the 'New Med Order' field
 - If unsure of how a med is spelled or what meds may be available, type the partial name to prompt a pick list

- Click **Search**

* Note: Patient Allergies are viewable in the A/P Module

* Note: If an allergy exists or a duplicate order exists, AHLTA-T will prompt the user with a Drug Warning window.

- Click the medication name from the list to select the med to be ordered

Diagnosis | Order Sets | Procedure | Order Lab | Order Rad | **Order Med** | Instructions

Allergies: **ibuprofen**

Patient's Weight: Undefined

New Med Order Outpatient Inpatient

Item Name: **IBU** Search

dibucaine 1 % topical ointment
ibuprofen 100 mg/5 mL oral suspension
ibuprofen 400 mg tablet
ibuprofen 800 mg tablet

Qty: 0 Max Days Supply Default
Refills: 0 Maximum

Start Date: 31-Oct-2019
Stop Date: 31-Oct-2019

Route: Oral Dispensing Location: AHLTA-T Clinic - AMBULATOR

Dose Type: Comments: (Optional)

More Detail ... Clear Dispense Submit

Description	Last Fill Date	Refills...	Status	Order Expi...	Order ID
-------------	----------------	------------	--------	---------------	----------

Enter Medication Order AHLTA-Theater (cont...)

- Complete the SIG information for the selected medication
- Ensure the correct **Dose Route:** and **Dose Type:** are selected
- Click 'Drug Info' to view information relating to the selected drug
- Update the **Qty:** and **Refills:** fields by either updating the SIG line or updating the fields
- Select the appropriate **Start** and **Stop Date:** for the medication
- Click **More/Less Detail...** to view or hide additional fields

* Note that the Pharmacy staff may provide instructions or information to providers in the 'Notes to Provider' field. Use Order Admin to populate this field.

Diagnosis | Order Sets | Procedure | Order Lab | Order Rad | **Order Med** | Patient Instructions

Allergies: **ibuprofen**

Patient's Weight: Undefined

Modify Med Order Outpatient Inpatient

Item Name: Search

acetaminophen 325 mg tablet

SIG: 1 TAB PO Q4H #30 RF3 + Drug Info Expand SIG (ON)

Priority: Routine ASAP STAT

Dose Check On:

Qty: Max Days Supply Default

Refills: Maximum

Start Date:

Stop Date:

Expanded SIG: 1 TABLET BY MOUTH EVERY FOUR HOURS; QUANTITY 30, REFILL 3

Note to Provider: Renal function is important in this drug's elimination. Dosing adjustment should be considered in patients with an estimated creatinine clearance at or below 50 ML/MIN.

Dose Route: Dispensing Location:

Dose Type: Comments: (Optional)

Less Detail ... Clear Dispense Submit

Requesting Location:

Ordering Provider: Child-Resistant Cap

Enter Medication Order AHLTA-Theater (cont...)

- When **Dosage Check On:** is selected, AHLTA-T will run a dosage check against the SIG line and selected dose route and dose type
- An icon will appear in the SIG line
 - Green +: View applicable dosage range
 - Yellow ?: Indicates an incomplete dosage checking
 - Red !: Indicates the SIG created an overdose condition
 - Grey without a symbol: no dosage info available

Diagnosis | Order Sets | Procedure | Order Lab | Order Rad | **Order Med** | Patient Instructions

Allergies: **ibuprofen**

Patient's Weight: Undefined

New Med Order Outpatient Inpatient

Item Name: NS Search

Zofran 2 mg/mL intravenous solution

SIG: 0.15 MG/KG IV #1 RFO ? Drug Info Expand SIG (ON)

Priority Routine ASAP STAT

Dose Check On:

Qty: 1 Max Days Supply Default

Refills: 0 Maximum

Start Date: 22-Oct-2019

Stop Date: 22-Oct-2019

Expanded SIG: 0.15 MG PER KG BODY WEIGHT INTRAVENOUSLY; QUANTITY 1, REFILL 0

Ordering Provider: ANDERSON, ELIZABETH

Note to Provider:

Dose Route: INTRAVENOUS Dispensing Location: AHLTA-T Clinic - AMBULATORY

Dose Type: MAINTENANCE Comments: (Optional)

Less Detail ... Clear Dispense Submit

Requesting Location: AHLTA-T Clinic

Child-Resistant Cap

Enter Medication Order AHLTA-Theater (cont...)

- When the dose checking icon is selected the **Applicable Dosage Ranges** window for the selected medication will display
- If the Red ! Icon is selected, the applicable drug warning will open
- Click the appropriate selection to highlight
- Click **OK**
- If necessary, click **Enter Vitals** to enter the patient's weight and height

Applicable Dosage Ranges for Zofran 2 mg/mL intravenous solution

NOTE: Dosage limits for this drug may vary with: Hepatic Function

Typical Order: inject 2 milliliters (4 mg) over 2-4 minute(s) by intravenous route for nausea or vomiting after surgery

Route	Type	Indication	Ordinary Dose	Max Single Dose	Max Daily Dose	Max Dur	Freq Range
CONTINUOUS INFUSION	MAINTENANCE	All Common Indications	1 - 1 MG/HOUR	1 MG/HOUR	1 MG/HOUR	7 days	1 - 1
INTRAMUSCULAR	LOADING	All Common Indications	8 - 8 MG/DAY	8 MG	8 MG/DAY	1 day	1 - 1
INTRAMUSCULAR	MAINTENANCE	All Common Indications	4 - 24 MG/DAY	8 MG	24 MG/DAY	1 day	1 - 3
INTRAMUSCULAR	SINGLE DOSE	All Common Indications	4 - 8 MG/DAY	8 MG	8 MG/DAY	1 day	1 - 1
INTRAVENOUS	LOADING	All Common Indications	8 - 16 MG/DAY	16 MG	16 MG/DAY	1 day	1 - 1
INTRAVENOUS	MAINTENANCE	All Common Indications	4 - 48 MG/DAY	16 MG	96 MG/DAY	5 days	1 - 6
INTRAVENOUS	SINGLE DOSE	All Common Indications	4 - 16 MG/DAY	16 MG	16 MG/DAY	1 day	1 - 1

No Wgt, No BSA

Dosage check could not be completed because: Dosing information not provided.
Information was missing from the SIG:
No frequency was recognized (e.g., QD or Q4H).

Enter Vitals OK

Enter Vitals

Height/Weight

Ht: in cm

Wt: lbs kg

BMI: BSA:

OK Cancel

Enter Medication Order AHLTA-Theater (cont...)

- Verify all information is correct
- If the patient will pick the medication up in the pharmacy, click **Submit**
- If the patient will receive the medication at this time, click **Dispense**
 - Medication orders are not complete until the medication is dispensed or cancelled as necessary

Diagnosis | Order Sets | Procedure | Order Lab | Order Rad | **Order Med** | Patient Instructions

Allergies: **ibuprofen**

Patient's Weight: Undefined

Modify Med Order Outpatient Inpatient

Item Name: Search

acetaminophen 325 mg tablet

SIG: 1 TAB PO Q4H #30 RF3 + Drug Info Expand SIG (DN)

Priority: Routine ASAP STAT

Dose Check On:

Qty: 30 Max Days Supply Default

Refills: 3 Maximum

Start Date: 01-Nov-2019

Stop Date: 29-Feb-2020

Expanded SIG: 1 TABLET BY MOUTH EVERY FOUR HOURS; QUANTITY 30, REFILL 3

Ordering Provider: ANDERSON, ELIZABETH

Note to Provider: Renal function is important in this drug's elimination. Dosing adjustment should be considered in patients with an estimated creatinine clearance at or below 50 ML/MIN.

Dose Route: ORAL Dispensing Location: AHLTA-T Clinic - AMBULATOR

Dose Type: MAINTENANCE Comments: (Optional)

Less Detail ... Clear **Dispense** **Submit**

Requesting Location: AHLTA-T Clinic

Child-Resistant Cap

Manage Orders AHLTA-Theater- A/P Module

- All submitted orders are viewable in the A/P module of an open encounter for the selected patient
- Patient orders, status of the order and the order number are listed in the 'Lab/Rad/Med Orders' section of the A/P module
- (1) Click the order to view actions available for that order
- (2) The buttons associated with the available actions will become active. Non-active buttons are greyed out and not available as an action for the order selected
- Click **Show Detail** to view order information and results

Lab Orders

Description	Status	Order ID
CBC W/AUTO DIFF	Pending	000100-00236

< ||| >

New Discontinue Renew Renew + Modify Modify Enter Results **Show Detail** Sign Refresh List Do Not Show Orders



Laboratory Detail

Lab Test Name: CBC W/AUTO DIFF

Collection Priority: Routine Process Priority: Routine

Specimen:

Status: Pending Order ID: 000100-00236

Ordering Provider: DOCTOR, DOCTOR

Start Date: 12-Jul-2019 1112 Stop Date: 12-Jul-2019 1112

Unexpanded Time: Admin Time: 1112

Duration (Days): Frequency:

Collection Method: Send Patient to Lab

Comments:

Provider Comments:

Results:

Results Assessment: None

OK

Manage Orders AHLTA-Theater- A/P Module (cont...)

- If an order has been entered in error, the order can be modified or discontinued
- Click **Modify** to update or change the order details
- Click **Discontinue** to discontinue the order. The order will remain in the patient's order list in a status of discontinued

Lab Orders

Description	Status	Order ID
CBC W/AUTO DIFF	Pending	000100-00236

< ||| >

New **Discontinue** Renew Renew + Modify Modify Enter Results Show Detail Sign Refresh List Do Not Show Orders

Confirm Discontinue Order

About to Discontinue Order:
CBC W/AUTO DIFF

This Action will Discontinue This Order ... Are You Sure?

Yes No

02

View Pending / Unaddressed Orders

AHLTA-Theater

Pending / Unaddressed Orders AHLTA-Theater

- All patient orders for Laboratory, Radiology and Medication that are initiated in AHLTA-Theater must be Completed, Addressed, or if necessary discontinued, within 72 hours of completing the patient care.
- The only exception to this requirement is any order that requires the facility to send the sample, study or patient to an outside facility. The order must be addressed within 72 hours of receiving the results.
- The SGH, Data Quality Office (DQO) or other assigned designee should verify each week how many orders are Pending/ Unaddressed past 72 hours from the start of the patient care.

Pending / Unaddressed Orders AHLTA-T

- Providers must check Order Management daily to mark orders as Completed/Addressed within 72 hours of receiving the result.
- Patient laboratory results and radiology reports may be entered into the Results field OR into the patient's note via AddNote module.
- If a patient's result is placed into the AddNote module of the patient encounter, the results field MUST reflect where to view the result in the patient record. (Example: "See patient Add Note encounter dated 10Jan2019" or "See patient TMDS record, documents uploaded to TMDS on 10Jan2019").
- If a patient laboratory result or radiology report is returned AFTER the initial encounter has been closed by the provider, the ancillary staff will create a new encounter for the original ordering provider with the purpose of documenting the results electronically in the patient's record.

Pending / Unaddressed Orders AHLTA-Theater

- The Order Management module can be filtered via order type, order status, ordering clinic, ordering provider and date range to streamline usability and view past data
- To access and manage orders in the Order Management Module, users must have the appropriate privileges assigned to their user account
- If Order Management is not the default module at login, click on **Order Management** in the Folder List to open the module

LAB, LAB: Military Clinical Desktop - Order Management (UNCLASSIFIED // FOUO Privacy // HIPAA Sensitive)

File Edit View Go Tools Actions Help

Refresh New Appt Disp History MedRefill View/Edit Sign Discontinue Print List Print Label Close

<No Patient Selected> Options

Folder List

- Desktop
- Outpatient Tracking
- Inpatient List
- Search
- Patient List
- Co-signs
- Tools
- Order Management
- TMDS
- BHIE

Change Selections ... Orders for All Providers in AESEVERTRAINING for Today only All Status.

Pt Status	Patient	FMP/SSN	DoD ID	Sponsor DoD ID	Result Type	Priority	Test Name	Start Date/Time	Details	Status	Nurse Acknowledged
OutPatient	LEES,DEREK J	20/4687			LAB	Routine	RAPID STREP GROUP	11/2019 1754		Pending	<input type="checkbox"/>
OutPatient	LEES,DEREK J	20/4687			LAB	Routine	CBC W/AUTO DIFF	11/2019 1755		Pending	<input type="checkbox"/>
OutPatient	LEES,DEREK J	20/4687			LAB	Routine	LIVER PANEL	11/2019 1755		Pending	<input type="checkbox"/>

Pending / Unaddressed Orders AHLTA-Theater

- The **Order Management** module will open to the currently set Default View
- The system preset default view is '**All Providers in [FACILITY NAME] for Today only All Status**'
 - This view of the Order Management module will present on the screen all orders entered today by all providers in the facility.
- Click **Change Selections** to change the view and filter the orders
- Select these filters then click **OK**
 - Clinics: **All My Clinics**
 - Providers: **Me**
 - Dates: **Today minus 90** or select a custom date range
 - Order Type: **All Orders**
 - Status Selection: **Active / Pending** and **Completed / Unaddressed**
- Note: Do not forget to select **Active / Pending** and **Completed / Unaddressed** or the search results will be very large and may take a long time to populate the Order Management screen. Large data queries should be pulled either during off-peak clinic hours or by utilizing TMIP Reporting.

Pending / Unaddressed Orders AHLTA-Theater

Results Search Selections

Clinics
 This Clinic All My Clinics Selected Clinic(s)

- AHLTA-T Clinic (HC2T-AHLTA-T Clinic)
- MENTAL HEALTH (100000048-AHLTA-T ADT)
- PHYSICAL THERAPY (100000046-AHLTA-T ADT)

Providers
 Me All for this Clinic(s) Selected Providers

- ANDERSON, ELIZABETH
- BALL, ALICE
- NURSE, EIGHT
- NURSE, FIVE
- NURSE, FOUR
- NURSE, ONE
- NURSE, SEVEN

Specialty/Location (Show Admitted patient(s) only)
 All Specialty/Locations Selected Specialty/Locations

Order Type
 All Orders

- LAB_ORDERS
- MED_ORDERS
- RAD_ORDERS

Dates

Today Only From: 0000 Thru: 2359

Today minus 90 Days

One Date 31 Oct 2019

Date Range 31 Oct 2019 0000 Thru 31 Oct 2019 2359

Status Selection

All Status

All Order Types

- Active / Pending
- Complete
- Discontinued

Lab / Rad Specific

- Preliminary
- Completed/Addressed
- Completed/Unaddressed

Outpatient Med Specific

- Dispensed

Signature

- Unsigned

Note: When any checkbox is checked the query is constrained to the checked items. When the checkbox is unchecked the query is not constrained to the item. For example, when the "Unsigned" checkbox is unchecked the result includes both sign and unsigned orders.

Set Selections as Default OK Cancel

Pending / Unaddressed Orders AHLTA-Theater

- Click on the column headers to sort the columns in ascending or descending order as needed
- The columns can be reordered by left clicking and holding a column header and dragging the column to the desired location
- Double click an order to enter or view a result or mark an order as **Completed/Addressed**
- Data Quality Data Points to Review:
 - In the Status Column:
 - Note ancillary orders still in Pending status past 72 hours
 - Are these orders still pending from an outside facility?
 - Is this a duplicate order that can be discontinued?

Change Selections ... Orders for All Providers in AESERVERTRAINING for Today Minus 365 days Unaddressed or Active/Pending.

Pt Status	Patient	FMP/SSN	Provider	DoD ID	Sponsor DoD ID	Result Type	Priority	Test Name	Start Date/Time	Details	Status	Nurse Acknowledge	Signed	Critical/Abnormal	Order Date/Time
OutPatient	SMITH,ANDERS	20/1008	ANDERSON, E			RAD	Routine	HAND & WRIST, LT - GR	01 Oct 2019 1820		Completed Unaddressed	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Normal	01 Oct 2019 182
OutPatient	SMITH,ANDERS	20/1008	ANDERSON, E			MED	Routine	naproxen 500 mg table	01 Oct 2019 1824	SIG: T1 TAB PO Q12H PRN #60 F	Pending	<input type="checkbox"/>	<input checked="" type="checkbox"/>	None	01 Oct 2019 182
OutPatient	SMITHERS,PHILLIP	20/5521	ANDERSON, E			RAD	Routine	FEMUR & HIP LT - GR	22 Oct 2019 1342		Pending	<input type="checkbox"/>	<input checked="" type="checkbox"/>	None	22 Oct 2019 134
OutPatient	SMITHERS,PHILLIP	20/5521	ANDERSON, E			MED	Routine	ibuprofen 800 mg tablet	22 Oct 2019 1352	SIG: 1 TAB PO X3D #30 RF1	Active	<input type="checkbox"/>	<input checked="" type="checkbox"/>	None	22 Oct 2019 135
OutPatient	SONGER,PAUL A	20/9627	OLIVERA, TE			LAB	Routine	CBC W/AUTO DIFF	22 Oct 2019 2039		Pending	<input type="checkbox"/>	<input checked="" type="checkbox"/>	None	22 Oct 2019 203

Pending / Unaddressed Orders AHLTA-Theater

- (1) Enter the patient results in the 'Results:' field if necessary. This is a free text field. Text can be typed or text copied to the clipboard can be pasted into this field.
 - Only Text can be entered into the 'Results:' field
 - Enter a minimum of one (1) character must be entered into the 'Results:' field to activate the 'Result Status' radio buttons
- Enter comments in the 'Provider Comments:' free text field (as necessary)
- **NOTE:** If the order has previously been marked as Completed/Unaddressed, the Results: and Provider Comments: fields will be grayed out and locked for editing
- Result Status: Select **Completed/ Addressed**
- Select the appropriate 'Result Assessment' radio button
- Click **OK**
- After an order has been resultted, the result **MUST** be entered into the patient's note

Enter Results For Action

Patient: **PATIENT, FEMALE
MASTER SERGEANT E7-F**

FMP/SSN/DoD ID: **20/22222/** Sex: **F** DOB: **01 Jan 1984**

Patient's Allergies: **No Known Allergies**

Lab Test/
Procedure Name: **CBC W/AUTO DIFF**

Comments:

Results:

Provider Comments:

Result Status

Pending

Preliminary

Completed/Unaddressed

Completed/Addressed

Result Assessment

None

Normal

Abnormal

Critical

Nurse Acknowledge

Signed

OK

Cancel